



## Siltronic - Monthly Progress Report

James Peale

to:

BAYUK.Dana

09/14/2011 10:19 AM

Cc:

"McCue, Tom", "Gladstone, Alan", chris.reive, heastwood, "Burr, Myron", ANDERSON.Jim, Kristine Koch, Sean Sheldrake, Chip Humphrey, PetersonLE, rjw, pdost, jedwards, cstivers, robe  
Hide Details

From: "James Peale" <jpeale@maulfoster.com> Sort List...

To: <BAYUK.Dana@deq.state.or.us>

Cc: "McCue, Tom" <Tom.McCue@siltronic.com>, "Gladstone, Alan" <AGLADSTONE@davisrothwell.com>, <chris.reive@jordanschrader.com>, <heastwood@davisrothwell.com>, "Burr, Myron" <Myron.Burr@siltronic.com>, <ANDERSON.Jim@deq.state.or.us>, Kristine Koch/R10/USEPA/US@EPA, Sean Sheldrake/R10/USEPA/US@EPA, Chip Humphrey/R10/USEPA/US@EPA, <PetersonLE@cdm.com>, <rjw@nwnatural.com>, <pdost@pearllegalgroup.com>, <jedwards@anchorqea.com>, <cstivers@anchorqea.com>, <robe@hahnenv.com>

## 2 Attachments



PMW Data and Water Levels - 09-10-11.xlsx Lf-PR091311.pdf

Good morning Dana –

Please let me know if you have any comments or questions regarding the attached. Delivery was interrupted by yet another server outage. We do not anticipate that future monthly progress reports will be delayed. Thanks for your understanding.

**JAMES G.D. PEALE** RG, LHG | MAUL FOSTER ALONGI

d. 503 501 5218 | p. 971 544 2139 | c. 503 449 9576 | f. 971 544 2140 | [www.maulfooster.com](http://www.maulfooster.com)  
2001 NW 19th Avenue, Suite 200, Portland, OR 97209

**Please consider the environment before printing out this email.**

NOTICE: This email, and any attachments, is intended only for use by the named addressee(s) and may contain information that is privileged, confidential or otherwise protected from disclosure. If you are not the intended recipient or the person responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this email, and any attachments, is strictly prohibited. If you have received this email in error, please immediately notify the sender by reply email and permanently delete and/or destroy the original and all copies. Written MFA authorization is required for modification of final electronic work products. Distribution to others of any MFA electronic work products, whether or not they are modified, is prohibited without the express written consent of MFA.